

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*8051	Factory Island Channel Buoy 1	43-29-32.25N 70-26-25.60W				Green can.	Private aid. 27/16
*8051.1	Factory Island Channel Buoy 2	43-29-32.90N 70-26-24.90W				Red nun.	Private aid. 27/16
*8051.2	Factory Island Channel Buoy 3	43-29-38.40N 70-26-41.00W				Green can.	Private aid. 27/16
*8051.3	Factory Island Channel Buoy 4	43-29-38.70N 70-26-39.90W				Red nun.	Private aid. 27/16
*8051.4	Factory Island Channel Buoy 5	43-29-34.80N 70-26-46.30W				Green can.	Private aid. 27/16
*8051.5	Factory Island Channel Buoy 6	43-29-34.90N 70-26-47.80W				Red nun.	Private aid. 27/16
24145	- Channel Buoy 16	41-16-22.28N 72-54-38.51W *				Red nun.	27/16
32580	- Buoy SD3	40-35-44.88N 73-35-26.88W *				Green can.	Private aid. 27/16
*37748	<i>Hook Mountain Yacht Club Hazard Lighted Buoy A</i>	41-05-47.00N 73-54-30.00W	FI W 6s			White with orange bands.	Private aid. 27/16
*37749	<i>Hook Mountain Yacht Club Hazard Lighted Buoy B</i>	41-05-47.00N 73-54-46.00W	FI W 6s			White with orange bands.	Private aid. 27/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1450	- <i>Lighted Wreck Buoy WR6</i>	38-56-22.11N 74-51-55.48W	Q R		4	Red.	27/16
2505	- FRONT LIGHT	39-30-42.30N 75-33-59.82W	FI W 2.5s	15		On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of range line. NIGHT: Visible all around; higher intensity 1.5° either side of range line. * 27/16
4410	- Buoy 14	38-36-24.16N 75-05-16.22W *				Red nun.	27/16
*14983	- Channel Buoy 6A	37-33-41.66N 76-18-50.44W				Red nun.	27/16
23280	- LIGHT 1BA *	38-03-09.67N 75-52-09.63W	FI G 2.5s	18	4	SG on pile.	27/16
23300	- LIGHT 6	38-03-22.09N 75-48-16.44W	FI R 4s	15	4	TR on pile.	27/16
				*	*		27/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25190	- Channel Daybeacon 43	38-40-59.30N 75-58-23.60W *				SG on pile.	27/16
29945	- Channel Daybeacon 53						Remove from list. * 27/16
34880	- Channel Daybeacon 1						Remove from list. * 27/16
39085	- LIGHT 46C	34-41-04.42N 77-07-24.55W *	Q R	17	4	TR-TY on pile.	27/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14850	- CUT A RANGE REAR LIGHT 998 yards, 325° from front light.	24-33-35.98N 81-50-20.61W	Iso W 6s	50		On tower on piles.	Visible 0.5° each side of range line. Lighted throughout 24 hours. * 27/16
22720	- Lighted Buoy 1D	27-41-48.43N 82-33-20.63W	FI G 2.5s		5	Green.	* 27/16
30735	Puerto San Juan Light	18-28-15.58N 66-07-24.97W	FI (3) W 40s 1.3s fl 8.7s ec. 1.3s fl 8.7s ec. 1.3s fl 18.7s ec.	169	11	Buff colored square tower, octagonal base, on Morro Castle. 169	Obscured from 281° to 061°. * 27/16
31800	Punta Tuna Light	17-59-18.07N 65-53-07.00W	FI (2) W 30s 0.18s fl 9.82s ec. 0.18s fl 19.82s ec.	111	11	White octagonal tower on square, flat-roofed dwelling. 111	* 27/16
48375	- LIGHT 45	25-47-47.93N 80-10-45.95W *	FI G 4s	16	5	SG-SY on pile.	27/16
48395	- LIGHT 49	25-47-29.49N 80-10-51.25W *	FI G 2.5s	12	5	SG-SY on pile.	27/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Add Heading: Garcon Point						
*5478	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT A	30-26-17.80N 87-05-17.80W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16
*5478.01	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT B	30-26-17.59N 87-05-14.61W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16
*5478.02	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT C	30-26-25.40N 87-05-08.40W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*5478.03	FDOA PENSACOLA BAY OYSTER COMPANY EAST BAY SPECIAL LIGHT D	30-26-25.50N 87-05-11.60W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16
*5818	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT A	30-26-17.00N 87-10-10.70W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16
*5818.01	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT B	30-26-24.30N 87-10-09.10W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16
*5818.02	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT C	30-26-24.90N 87-10-12.80W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16
*5818.03	FDOA PENSACOLA BAY OYSTER COMPANY ESCAMBIA BAY SPECIAL LIGHT D	30-26-17.60N 87-10-14.30W	FI Y 2.5s			Marks perimeter of aquaculture farm.	Private aid. 27/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3870	- Lighted Buoy 7	35-22-05.04N 120-51-53.57W	FI G 6s		4	Green.	Buoys maybe frequently relocated due to changing conditions. 27/16
		*					
4010	- Harbor Channel Buoy 1	36-48-20.84N 121-47-33.36W				Green can.	 27/16
		*					
9295	SALMON HARBOR ENTRANCE LIGHT 2	43-41-07.57N 124-10-54.47W	FI R 4s	15	3	TR on multi-pile structure.	 27/16
		*				*	
9370	Scholfield Creek Channel Daybeacon 2	43-42-36.45N 124-06-23.55W				TR on dolphin.	Ra ref. 27/16
		*					
9375	Scholfield Creek Channel Daybeacon 3	43-42-36.65N 124-06-22.34W				SG on dolphin.	 27/16
		*					
9695	- Daybeacon 21	44-35-12.15N 124-01-17.91W				SG on pile.	Ra ref. 27/16
		*					
18560	- Range A Front Daybeacon	48-00-36.86N 122-13-35.99W				KRB on multi-pile structure.	 27/16
		*					
18565	- Range A Rear Daybeacon 136 yards, 213.6° from front daybeacon.	48-00-33.50N 122-13-39.32W				KRB on tripod tower.	 27/16
	*						
18825	- RANGE REAR LIGHT 1,199 yards, 251.9° from front light.	48-21-21.94N 122-34-48.31W	Iso W 6s	55		KRB on skeleton tower on multi-pile structure.	Visible 14° each side of range line. 27/16
		*					

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*29907	NAVY Temporary Lighted Buoy	22-02-49.60N 159-47-49.70W	FI Y 12s				Private aid.
							27/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4037	Cleveland Water Quality Lighted Buoy	41-33-07.56N 81-46-02.64W	FI Y 4s				Private aid.
		*					27/16
*18647.5	Great Lakes Environmental Research Laboratory Lighted Buoy M45Z	43-11-01.86N 86-29-38.88W	FI Y 4s				Private aid.
							27/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.