

SECTION I

NM 28/16

Chart 11378 (Side A)

NM 28/16

PENSACOLA HARBOR ENTRANCE CHANNEL								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUN 2015 AND SURVEY TO JUN 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
CAUCUS CHANNEL	31.3	35.0	35.0	28.7	6-15	A500	3.1	A35
BARRANCAS CHANNEL	27.4	33.5	35.0	29.8	6-15	A500	1.7	A35
PICKENS CHANNEL	30.1	41.5	43.2	B42.2	2-12	A500	2.8	A35

A. PROJECT DIMENSIONS OF 44 FEET FOR A WIDTH OF 800 FEET PROVIDED BY THE U.S. NAVY. AUTHORIZED USACE PROJECT IS 35 FEET FOR A WIDTH OF 500 FEET.

B. EXCEPT FOR A 43 FT OBSTRUCTION REPORTED BY AN NOS SURVEY AT 30°19'57.7" N, 087°16'39.3" W.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11382

NM 28/16

PENSACOLA HARBOR ENTRANCE CHANNEL								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUN 2015 AND SURVEY TO JUN 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
CAUCUS CHANNEL	31.3	35.0	35.0	28.7	6-15	A500	3.1	A35

A. PROJECT DIMENSIONS OF 44 FEET FOR A WIDTH OF 800 FEET PROVIDED BY THE U.S. NAVY. AUTHORIZED USACE PROJECT IS 35 FEET FOR A WIDTH OF 500 FEET.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11383

NM 28/16

PENSACOLA HARBOR ENTRANCE CHANNEL								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUN 2015 AND SURVEY TO JUN 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
CAUCUS CHANNEL	31.3	35.0	35.0	28.7	6-15	A500	3.1	A35
BARRANCAS CHANNEL	27.4	33.5	35.0	29.8	6-15	A500	1.7	A35
PICKENS CHANNEL	30.1	41.5	43.2	B42.2	2-12	A500	2.8	A35

A. PROJECT DIMENSIONS OF 44 FEET FOR A WIDTH OF 800 FEET PROVIDED BY THE U.S. NAVY. AUTHORIZED USACE PROJECT IS 35 FEET FOR A WIDTH OF 500 FEET.

B. EXCEPT FOR A 43 FT OBSTRUCTION REPORTED BY AN NOS SURVEY AT 30°19'57.7" N, 087°16'39.3" W.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11384

NM 28/16

PENSACOLA HARBOR ENTRANCE CHANNEL								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUN 2015 AND SURVEY TO JUN 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
CAUCUS CHANNEL	31.3	35.0	35.0	28.7	6-15	A500	3.1	A35
BARRANCAS CHANNEL	27.4	33.5	35.0	29.8	6-15	A500	1.7	A35
PICKENS CHANNEL	30.1	41.5	43.2	B42.2	2-12	A500	2.8	A35

A. PROJECT DIMENSIONS OF 44 FEET FOR A WIDTH OF 800 FEET PROVIDED BY THE U.S. NAVY. AUTHORIZED USACE PROJECT IS 35 FEET FOR A WIDTH OF 500 FEET.

B. EXCEPT FOR A 43 FT OBSTRUCTION REPORTED BY AN NOS SURVEY AT 30°19'57.7" N, 087°16'39.3" W.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11506

NM 28/16

BRUNSWICK HARBOR CHANNEL DEPTHS								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF SEP 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
ENTRANCE THRU TURTLE RIVER								
ST. SIMONS RANGE	33.5	H36.0	35.5	32.0	8-15	500	9.7	38
PLANTATION CREEK RANGE (A)	35.5	38.5	42.0	40.0	8-15	400	1.8	36
JEKYLL ISLAND RANGE (B)	39.5	39.0	38.5	38.0	8-15	400	1.9	36
CEDAR HAMMOCK RANGE (C)	35.0	35.5	35.0	32.0	8-15	400	1.4	36
BRUNSWICK POINT CUT RANGE	36.0	38.5	36.5	36.5	8-15	400	2.4	36
TURTLE RIVER LOWER RANGE	37.5	37.0	37.5	36.0	8-15	400	1.8	36
BLYTHE ISLAND RANGE	29.5	29.0	27.5	26.5	8-15	300	1.5	30
TURTLE RIVER UPPER RANGE	27.5	29.0	28.5	27.5	8-15	300	2.7	30
EAST RIVER (D)								
ENTRANCE TO SECOND AVE (E)	36.0	35.0	35.0	34.5	8-15	400	1.2	37-41
SECOND AVE TO MAYOR'S POINT	35.0	35.0	35.0	34.0	8-15	400	1.0	36
SOUTH BRUNSWICK RIVER (F & G)	34.0	37.5	37.0	34.5	8-15	400	1.3	36

A. THE WIDENER AT INTERSECTION OF PLANTATION CREEK RANGE AND JEKYLL ISLAND RANGE LEAST DEPTHS WERE 46.0 FEET, LOCATED 100 FEET INSIDE THE CHANNEL LIMIT, AND 52.0 FEET, LOCATED 400 FEET INSIDE THE CHANNEL LIMIT FROM THE LEFT SIDE.

B. THE WIDENER AT INTERSECTION OF JEKYLL ISLAND RANGE AND CEDAR HAMMOCK RANGE LEAST DEPTH WAS 37.0 FEET, LOCATED 75 FEET INSIDE THE CHANNEL LIMIT FROM THE RIGHT SIDE.

C. THE WIDENER AT INTERSECTION OF CEDAR HAMMOCK RANGE AND BRUNSWICK POINT CUT RANGE LEAST DEPTH WAS 35.0 FEET, LOCATED 50 FEET INSIDE THE CHANNEL LIMIT FROM THE RIGHT SIDE.

D. THE EAST RIVER TURNING BASIN LEAST DEPTHS WERE 37.0 FEET 100 FEET FROM BACKSIDE, 35.0 FEET 400 FEET FROM BACKSIDE AND 34.0 FEET 600 FEET FROM BACKSIDE.

E. THE EAST RIVER ENTRANCE TO SECOND AVE WIDENER LEAST DEPTHS WERE 25.5 FEET LOCATED 50 FEET INSIDE THE CHANNEL LIMIT AND 34.0 FEET LOCATED 150 FEET INSIDE THE CHANNEL LIMIT FROM THE LEFT SIDE, AND 41.5 FEET LOCATED 50 FEET INSIDE THE CHANNEL LIMIT FROM THE RIGHT SIDE.

F. THE SOUTH BRUNSWICK RIVER TURNING BASIN LEAST DEPTHS WERE 39.5 FEET FROM THE LEFT SIDE AND 38.0 FEET FROM THE RIGHT SIDE.

G. THE SOUTH BRUNSWICK RIVER GPA DOCK LEAST DEPTHS WERE 30.0 FEET ALONG THE DOCK AND 34.0 FEET ON THE RIGHT SIDE.

H. EXCEPT FOR A 35 FEET OBSTRUCTION LOCATED BY A NOS SURVEY OF JUL 2006 AT 31°04'15.5"N, 081°16'57.4"W.

I. EXCEPT FOR A DANGEROUS WRECK LOCATED IN APPROXIMATE POSITION 31°08'49.8"N, 81°29'59.3"W.

NOTE - FOR THE LEFT OUTSIDE AND RIGHT OUTSIDE QUARTERS, DEPTHS GIVEN REPRESENT CONDITIONS 50 FEET INSIDE THE CHANNEL LIMITS. (EXCEPT FOR THE EAST RIVER TURNING BASIN)

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 14867 (Inset Saginaw River)

NM 28/16

SAGINAW RIVER CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO JUL 2015							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT GREAT LAKES LOW WATER DATUM (LWD)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (STAT. MILES)	DEPTH LWD (FEET)
ENTRANCE CHANNEL	16.4	21.1	15.3	7-15	350	13.70	27
THENCE TO BUOY 28	25.0	25.8	22.0	11-14	200	0.47	26
THENCE TO ESSEXVILLE TURNING BASIN	24.5	23.2	18.8	5-15	200	2.27	25
ESSEXVILLE TURNING BASIN	14.9	23.2	14.8	5-15	630	0.37	25-20
THENCE TO RR BRIDGE AT MILE 4.94	20.4	22.4	22.8	4,5-15	200	2.05	25
THENCE TO AIRPORT TURNING BASIN	20.8	22.0	19.2	4-15	200	3.90	22
THENCE TO BUOY 64	17.5	20.6	17.3	4-15	200	3.20	22
THENCE TO N 43°28'52.4" W 83°54'48.0"	18.7	20.3	21.0	4-15	200	2.75	22
THENCE TO 6TH ST TURNING BASIN	16.6	19.5	17.0	4-15	200	3.10	22
6TH ST TURNING BASIN	15.3	15.1	12.2	4-15	650	0.20	22
THENCE TO C&O RR BRIDGE	13.8	15.4	12.1	4-12;5-14;4-15	200	0.17	22
THENCE TO CARROL ST.	15.4	15.6	13.0	10-77	200	0.30	16

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION