

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2293	WHOI Research Lighted Buoy DMON MDR	43-58-44.64N 68-05-07.28W *	Fl Y 4s			Yellow.	Private aid. 31/16
4130	- Breakwater Light	44-06-14.55N 69-04-39.16W	Fl W 5s	39	17	Red brick tower. 25	Lights also displayed during daytime when sound signal in operation. HORN: 1 blast ev 15s (2s bl). Activated for 60 minutes during times of reduced visibility by keying the microphone five times on VHF channel 83A. * 31/16
14075	HARWICHPORT FISH TRAP LIGHT N						Remove from list. * 31/16
14080	HARWICHPORT FISH TRAP LIGHT S						Remove from list. * 31/16
18195.4	- Channel Daybeacon 8	41-40-15.90N 71-16-49.50W *				TR on monopile.	Private aid. 31/16
24325	- Channel Buoy 8	41-12-21.59N 73-02-58.48W *				Red nun.	31/16
30095	- Channel Buoy 2	40-43-56.40N 72-55-46.60W *				Red nun.	Private aid. 31/16
39321	Burton Island Pass Buoy 1	44-46-39.30N 73-11-31.70W *				Green can.	Maintained from May 1 to Nov. 1. Private aid. 31/16
39322	Burton Island Pass Buoy 2	44-46-39.10N 73-11-31.90W *				Red nun.	Maintained from May 1 to Nov. 1. Private aid. 31/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28732	- Channel Buoy 12	35-12-20.60N 75-43-55.32W *				Red nun.	31/16
29840	Stones Creek Warning Daybeacon	34-36-23.56N 77-26-08.04W *				NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	31/16
29865	Grey Point Warning Daybeacon.	34-37-40.80N 77-22-04.14W *				NW on pile worded DANGER LIVE FIRE SECTOR - CONSULT NOTICE TO MARINERS.	31/16
34425	- LIGHT 1	34-55-31.31N 76-19-24.91W	Fl G 4s	15	4	SG on pile.	* 31/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2840	- Lighted Buoy 50A	32-51-17.60N 79-56-30.38W	FI R 4s		5	Red.	
					*		31/16
15680	- LIGHT 9	25-07-25.23N 80-55-46.75W	FI G 4s	16	5	SG on dolphin.	
					*		31/16
*28366	- Buoy 2A	28-42-36.05N 82-47-18.07W				Red nun.	
							31/16
*28373	- Buoy 5	28-43-54.03N 82-45-36.01W				Green can.	
							31/16
*28377	- Buoy 7	28-44-18.05N 82-45-05.95W				Green can.	
							31/16
*28383	- Buoy 9	28-44-36.00N 82-44-42.00W				Green can.	
							31/16
28385	- Lighted Buoy 10	28-44-43.28N 82-44-26.44W	FI R 4s		5	Red.	
	*		*		*		31/16
*28387	- Buoy 11	28-45-01.80N 82-44-12.00W				Green can.	
							31/16
28390	- Lighted Buoy 12	28-45-00.27N 82-44-10.46W	FI R 4s		5	Red.	
	*		*		*		31/16
*28397	- Buoy 15	28-45-18.00N 82-43-37.80W				Green can.	
							31/16
*28423	- Buoy 23	28-45-52.20N 82-42-45.00W				Green can.	
							31/16
*28517	- Buoy 45A	28-46-16.20N 82-40-59.40W				Green can.	
							31/16
*28519	- Buoy 45B	28-46-19.30N 82-40-58.31W				Green can.	
							31/16
*28527	- Buoy 47A	28-46-29.83N 82-40-32.86W				Green can.	
							31/16
*28557	- Buoy 55A	28-46-22.32N 82-39-54.35W				Green can.	
							31/16
*28627	- Buoy 68A	28-46-49.99N 82-38-37.45W				Red nun.	
							31/16
*28643	- Buoy 71	28-47-03.02N 82-38-23.95W				Green can.	
							31/16
35725	- Daybeacon 27	32-13-07.14N 80-47-12.19W				SG-SY on pile.	
		*					31/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10561	Pacific and Western Railroad Bridge Clatskanie River, mile 0.7.						<i>Remove from list.</i>
*14815	Pacific and Western Railroad Bridge Clatskanie River mile 0.7.	46-06-46.00N 123-12-41.00W				Swing bridge.	* 31/16
17460	- LIGHT 1 40 feet outside channel limit.	47-03-44.01N 122-53-55.62W	FI G 2.5s	28	4	SG on pile.	31/16
19725	- Daybeacon 2	48-34-57.61N 123-10-19.47W				TR on pile.	Ra ref. * 31/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18965	- South Pierhead Entrance Light	43-03-24.91N 86-15-21.42W	FI R 10s	42 13	15	Red fog signal building. 42	HORN: 2 blasts ev 30s (2s bl- 2s si-2s bl-24s si). Operates by keying the microphone five times on VHF channel 83A.
							* 31/16
21765	Jackson Harbor Buoy 1	45-24-12.36N 86-50-57.27W				Green can.	* 31/16
21766	Jackson Harbor Buoy 2	45-24-12.93N 86-50-54.58W				Red nun.	* 31/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.